

Amendments to the Claims:

Listing of the Claims:

1-19 (canceled).

20. (currently amended) A portable gun, ~~such as revolvers, pistols, carbines, rifles and hand machine guns, among others that has~~ comprising: a handle capable of establishing a first level of owner recognition ~~due to the fact that it is possible to restrict to a group of persons the successful shooting process of a portable gun when their~~ when an applied grip force is greater than superior ~~to~~ an established threshold, the established threshold comprises a ~~characterized in that the~~ minimum grip force ~~for successful shooting is established by a strain gage gauge and stored by a chip, the strain gauge and the chip both connected by an electronic circuit, all wherein the strain gauge, the chip and electronic circuit are installed inside the gun handle and/or or the gun body or the gun handle and the gun body.~~

21. (currently amended) A portable gun, ~~according to of claim 20, characterized in that wherein~~ the strain gage gauge is placed either in ~~the a~~ a frontal part of the handle in ~~the a first~~ a first ergonomic position of ~~the a "greater" greater finger of the a hand used to hold the gun, or in the a posterior part of the handle in the a second ergonomic position of the a part of a hand palm correspondent to the a thumb, or even in the a right lateral part of the handle, for dextral shooters, or the a left lateral part of the handle, for left-handed shooters, in the a third ergonomic position of the hand palm used to hold the gun.~~

22. (currently amended) A portable gun, ~~such as revolvers, pistols, carbines, rifles and hand machine guns, comprising: among others that has~~ a handle capable of establishing a second level of owner recognition ~~due to the fact that it is possible to restrict to an even smaller group of persons the successful shooting process of a portable gun when their~~ an applied grip force ~~fit into~~ having a small operational range, ~~established according the an~~ an average grip force of the owner and ~~the a~~ a width of ~~his a~~ his a normal distribution of the owner, ~~characterized in that wherein~~ the small

operational range is established by a strain ~~gage~~ gauge and stored by a chip, the strain gauge and the chip are both connected by an electronic circuit, and the strain gauge, the chip and the electronic circuit all installed inside the gun handle and/or or the gun body or both the gun handle and the gun body.

23. (currently amended) A portable gun, ~~according to~~ of claim 22, ~~characterized in that~~ wherein the strain ~~gage~~ gauge is placed either in ~~the~~ a frontal part of the handle in ~~the~~ a first ergonomic position of ~~the~~ a “~~greater~~” greater finger of ~~the~~ a hand used to hold the gun, or in ~~the~~ a posterior part of the handle in ~~the~~ a second ergonomic position of the part of a hand palm correspondent to ~~the~~ a thumb, or ~~even~~ in ~~the~~ a right lateral part of the handle, ~~for dextral shooters, or the~~ a left lateral part of the handle, ~~for left-handed shooters, in the~~ a third ergonomic position of the hand palm used to hold the gun.

24. (currently amended) A portable gun, ~~such as revolvers, pistols, carbines, rifles and hand machine guns, among others that has~~ comprising: a handle capable of establishing a third level of owner recognition, ~~by the fact that it is possible to restrict to only one individual the successful shooting process of a portable gun, based on the establishment of as many as necessary (in this case it is considered six)~~ when an average local grip force[s] by ~~the~~ an owner and ~~the same number (six) of~~ a width[s] of ~~his~~ a normal distributions of the owner, ~~characterized in that wherein the six local~~ an operational range[s] are established by ~~six~~ a strain ~~gages~~ gauge and stored by a chip, ~~all of them~~ the gauge and the chip are connected by an electronic circuit, and the gauge, the chip and the electronic circuit are all installed inside the gun handle ~~and/or or~~ or the gun body or both the gun handle and the gun body.

25. (currently amended) A portable gun, ~~according to~~ of claim 24, ~~characterized in that~~ wherein the ~~six~~ at least one strain ~~gages~~ are gauge is placed either in ~~the~~ a frontal part of the handle in ~~the~~ a first ergonomic position of ~~the~~ a three fingers of ~~the~~ a hand used to hold the gun, or in ~~the~~ a posterior part of the handle in ~~the~~ a second ergonomic position of ~~the~~ a part of a hand palm correspondent to ~~the~~ a thumb, ~~and even~~ or in ~~the~~ a right lateral part of the handle, or a ~~and in the~~ left lateral part of the handle in ~~the~~ a third ergonomic position of the hand palm used to hold the

~~gun; in this way the gun is safe either for dextral or left handed shooters~~ wherein a dextral shooter will ~~have~~ measure a zero grip force ~~measured~~ at the left lateral part of the handle and ~~vice versa for the~~ a left-handed shooter will measure a zero grip force at the right lateral part of the handle.